
Cable-Snake Professional Cablemanagement



4.0



Cable-Snake® Flex II



Cable-Snake® Cube MX



Cable-Snake® Premium Tex



E-Cube-M



Easy-Connect



Easy-Desk-3G, Easy-Steel



Easy-Cover & Easy Clip



Easy-Bridge



Innovative Solutions for Demanding Consumers



We have been supplying professional cable guiding systems for high quality office environments since 1994.

Cable-Snake® cable guiding systems are highly innovative with excellent functionality and professional design. Because of the extensive range of accessories, applications are almost unlimited.

All Cable-Snake® systems are mutually compatible and 100% networkcapable!

We will be happy to advice you!



Cable-Snake® Cube



Cable-Snake® Premium




Cable-Snake® Pro



E-Cube-M Energy Tower

Cable-Snake®

Professional Cablemanagement



	Outstanding features for ergonomically high quality designed furniture	4
NEW	Cable-Snake® Cube MX Maximum volume with compact dimensions	6
	Cable-Snake® Pro The tread-proof "Cable-Snake®"	8
	Cable-Snake® Classic The classical "Allround-System"	10
	Cable-Snake® Flex The flexible "Cable-Snake®" with smallest bend radius	12
NEW	Cable-Snake® Flex II Compact - flexible - compatible	14
	Cable-Snake® Quadro The quadratic Snake for heavy duty	16
	Cable-Snake® Premium Energy guidance for demanding office environments	18
NEW	Cable-Snake® Premium Tex Exclusive cable sheath	20
NEW	Easy-Bridge Cable guidance profile - Aluminium	21
NEW	E-Cube-K Energy-tower for back-office workplaces	22
NEW	E-Cube M Mobile energy-tower for highest demands	23
	Easy-Outlet System-connection to floors	24
	Easy-Cover System-connection to ceilings	25
	Easy-Clip, Easy-Floor, Easy-Switch Floor-outlet-adapter, Floor plates, Junction box	26
NEW	Easy-Desk-3G, Easy-Rope, Easy-Steel, Easy-Ring, Easy-Glue Mounting-clips, Tension-rope, Mounting-bar, Glass mounting	27
	Easy-Desk-2B, Easy-Stop, Easy-Fix Desk brackets, Cable-tension-relief, Mounting chain links	28
NEW	Easy-Desk-1B, Easy-Desk-1K, Easy-Connect, Easy-Fix-90, Easy-Channel Desk brackets, Universal joints, Mounting brackets of steel	29
	Easy-Duct, Easy-Tape Cable duct, Velcro mounting	30
	Technical Information Quality guarantee, environmental protection, certification, property rights	31

Cable-Snake® Cube

Outstanding features for ergonomically, high quality designed furniture





The Cable-Snake® Cube cable guiding system wins through its clean design and high level of functionality.

The integrated flexible 2D/3D system is designed to unroll automatically and adapt to height adjustable desks.



Cable-Snake® Cube, Easy-Outlet-Switch




Cable-Snake® Cube, Easy-Outlet-I




2D/3D function for ergonomically designed


When pulled apart, the Cable-Snake® Cube system rolls like a caterpillar track. When subjected to side forces, Cable-Snake® Cube stays in the set position. Pushed together the cable chain becomes a closed cable channel.



Easy-Zip Tool-free installation, like a zipper



Flexible in length
Also useable as closed cable



2D/3D capabilityRolling characteristic optimised for ergonomic furniture



Turning-force-stabilityStability due to patented connection



Tread-proof Tread-proof stretched up to 80 kg Tread-proof telescoped up to 100 kg

Easy-SwitchJunction box for networks with up to 4 connection points



Easy-CoverCompatible to Easy-Cover ceiling outlets



Easy-OutletCompatible to Easy-Outlet floor outlets



Floor Outlet Compatible to all common floor



Optional rigid cable channel Mounting bar with hold adapter to use as rigid cable channel



Cable-Snake® Cube



Outstanding features for ergonomically, high quality designed furniture

Cable-Snake® Cube is equipped with all the innovative functions developed by Q-LAB® since 1994. The integrated 2D/3D system has been optimized for ergonomic furniture so that it unrolls automatically with heightadjustable desks like a caterpillar track.

If certain higher forces are exeeded, the system is fully 3Dmobile and lengthflexible. The integrated memory function keeps the chain in the desired position. Cable-Snake® Cube is tread-proof to a limited extent and can also be used as a closed channel. The system is compatible with Cable-Snake® Cube MX, Pro, Classic, Flex, and Flex II and can also be easily connected with these systems. The high-quality design level with textured surfaces meet the most demanding requirements.

Cable-Snake® Cube is equipped with the Easy Zip system developed by Q-LAB®, whereby cables can be threaded through like a zipper. The stainless steel mounting rod, Easy Steel makes rigid mounting possible such as with desk channels or between adjoining tables. The Easy Rope tension cord can resist traction forces up to 100 kg. (ceiling suspension). Cable-Snake® Cube is about 35% compressible and can optional be laid as a closed channel with or without the Easy Steel mounting rod. It can be made anti-slip on carpets by means of Easy Tape.

Technical Data

Capacity up to about 25 cables Stretched lengthwise, 34 chain links, approx. 100 cm Length pushed together, approx. 69 cm Material Polypropylen







light-grey RAL 7035





translucent nature



Made in Germany








Cable-Snake® Cube

Cable-Snake® Cube approx. 100 cm (34 chain links)

Set with floor-outlet-adapter KS-CUB-100

KS-CUB-S1-75

KS-CUB-S1-125



Set with floor-plate, desk fixture, 2 screws 4x12mm approx. 75 cm (25 chain links) for regular desk approx. 125 cm (42 chain links) for sit-and standing desk

Set with floor-outlet-adapter, desk fixture, 2 screws 4x12mm approx. 75 cm (25 chain links) for regular desk

approx. 125 cm (42 chain links) for sit-and standing desk

KS-CUB-S2-75 KS-CUB-S2-125

compatible with Cable-Snake

 $lacksymbol{\square}$ black $lacksymbol{\square}$ silver $lacksymbol{\square}$ light-grey $lacksymbol{\square}$ white $lacksymbol{\square}$ translucent

Cable-Snake® Cube MX

Maximum Volume with compact dimensions





The new cable guiding system Cable-Snake® Cube MX has the most cable capacity of all Cable-Snake® systems of Q-LAB®

Cable-Snake® Cube MX is able to guide **up to 40** cables. The integrated 2D/3D system has been optimized for ergonomic furniture so that it unrolls perfectly with sit-and-standing desks.



 ${\sf Cable\text{-}Snake}^{\it \&}\,{\sf Cube}\,{\sf MX,\,Easy\text{-}Outlet\text{-}Switch}$




Cable-Snake® Cube MX,Easy-Outlet



Cable-Snake® Cube MX, floor-outlet

The system is compatible with Cable-Snake® Cube, Pro Classic, Flex, and Flex II and can be easily connected with these systems.

A wide range of accessories makes the system 100% network compatible and at any time expandable.



Easy-Zip
Tool-free installation, like a zipper



Flexible in length Also useable as closed cable channel for higher tread resistance



2D/3D capabilityRolling characteristic optimised for ergonomic furniture




Turning-force-stability Turning force stability due to patented connection



Optional rigid cable channel Mounting bar with hold adapter to use as rigid cable channel

Easy-SwitchJunction box for networks with up to 4 connection points



Easy-Cover Compatible to Easy-Cover ceilingoutlets



Easy-OutletCompatible to Easy-Outlet floor-outlets



Floor Outlet Compatible to all common



E-CUBECable-Snake® Systems are compatible zu E-Cube-Energy profiles



Cable-Snake® Cube MX

Cable-Snake

Professional Cablemanagement

Maximum Volume with compact dimensions

Cable-Snake® Cube MX is equipped with all the innovative functions developed by Q-LAB® since 1994. The integrated 2D/3D system has been optimized for ergonomic furniture so that it unrolls automatically with heightadjustable desks like a caterpillar track.

If certain higher forces are exeeded, the system is fully 3D-mobile and lengthflexible. In addition, the integrated memory function keeps the chain in the desired position. Cable-Snake® Cube MX is tread-proof to a limited extent and can also be used as a closed channel. The system is compatible with Cable-Snake Cube, Pro, Classic, Flex and Flex II and can also be easily connected with these systems. The high-quality design with textured surfaces meet the most demanding requirements.

Cable-Snake® Cube MX is equipped with the Easy-Zip system developed by Q-LAB®, whereby cables can be threaded through like a zipper. The stainless steel mounting rod Easy-Steel makes rigid mounting possible such as with desk channels or between adjoining tables. The Easy Rope tension rope can resist traction forces up to 100 kg (ceiling suspension). Cable-Snake® Cube MX is about 35% compressible and can optional be laid as a closed channel on the floor, with or without the Easy-Steel mounting rod. It can be made anti-slip on carpets by means of velcrosystem Easy-Tape.

Technical Data

40 cables Capacity up to about Stretched lengthwise, 34 chain links, approx. 100 cm 69 cm Length pushed together, approx. Material Polypropylen



black RAL 9005

silver RAL 9006



white RAL 9003




translucent nature











Cable-Snake® Cube MX

Cable-Snake® Cube MX approx. 100 cm (34 chain links) Set with floor-plate, desk fixture, 2 screws 4x12mm approx. 75 cm (25 chain links) for regular desk approx. 125 cm (42 chain links) for sit-and standing desk **Set with floor-outlet-adapter,** desk fixture, 2 screws 4x12mm

approx. 75 cm (25 chain links) for regular desk approx. 125 cm (42 chain links) for sit-and standing desk

Set with floor-outlet-adapter

KS-CMX-100

KS-CMX-S1-75 KS-CMX-S1-125

KS-CMX-S2-75 KS-CMX-S2-125

Colors

☑ Cube ☑ Cube MX ☑ Pro ☑ Classic ☑ Flex ☑ Flex II ☐ Quadro ☐ Premium

 $lacksymbol{\square}$ black $lacksymbol{\square}$ silver $lacksymbol{\square}$ light-grey $lacksymbol{\square}$ white $lacksymbol{\square}$ translucent

Cable-Snake® Pro

The tread-proof "Cable-Snake®"





The cable guiding system Cable-Snake® Pro is particulary tread-proof and thus particularly suitable for laying in corridor areas with heavy foot traffic.

The tread proof is **80 kg** when streched and approx. **120 kg** compressed.



Cable-Snake® Pro, Easy-Outlet-Switch




Cable-Snake® Pro, Easy-Outlet-I




Cable-Snake® Pro, E-Cube M

The system is compatible with cable bridge Easy Bridge and with Cable-Snake® Cube, Cube MX, Classic, Flex and Flex II and can be easily connected with these systems. A wide range of accessories makes the system 100% network compatible and expandable at any time.



Easy-Zip
Tool-free installation, like a zipper



Flexible in length Also useable as closed cable channel for higher tread resistance



2D/3D capabilityRolling characteristic optimised for ergonomic furniture



Turning-force-stabilityTurning force stability due to patented connection



Tread-proof Tread-proof stretched up to 80 kg Tread-proof telescoped up to 120 kg


Easy-SwitchJunction box for networks with up to 4 connection points



Easy-Cover Compatible to Easy-Cover ceilingoutlets



Easy-OutletCompatible to Easy-Outlet floor-outlets



Floor-Outlet Compatible to all common floor-



Easy-Bridge Compatible with Easy-Bridge cable bridge



Cable-Snake® Pro

The tread-proof "Cable-Snake®"



The integrated 2D/3D system has been optimized for ergonomic furniture so that it unrolls automatically with heightadjustable desks like a caterpillar track. If certain higher forces are exeeded, the system is fully 3D-mobile and lengthflexible. In addition, the integrated memory function keeps the chain in the desired position.

Cable-Snake® Pro is telescoped and also useable as a closed channel. The high-quality design with textured surfaces meet the most demanding requirements.

Easy-Zip system developed by Q-LAB® cables can be easily threaded through like a zipper.

With the Easy Rope tension cord can resist traction forces up to 100 kg.

The stainless steel mounting rod Easy Steel makes rigid mounting possible such as desk channels or on the floor. The system is compatible with Aluminium-Cable-Bridge Easy Bridge and can be easily connected with these systems. This creates a fully networkable flooringsystem, in which different curves and straight lines are possible. Easy Tape velcros fix this system on carpets

Technical Data

Capacity up to about 30 cables Stretched lengthwise, 34 chain links, approx. 100 cm Length pushed together, approx. 70 cm Compressibility, approx. 35% Material Polypropylen



black RAL 9005



light-grey RAL 7035



translucent nature

















compatible with Cable-Snake



Cable-Snake® Pro approx. 100 cm (34 chain links) Set with floor-plate, desk fixture, 2 screws 4x12mm approx. 75 cm (24 chain links) for regular desk

approx. 125 cm (42 chain links) for sit-and standing desk **Set with floor-outlet-adapter,** desk fixture, 2 screws 4x12mm

approx. 75 cm (24 chain links) for regular desk approx. 125 cm (42 chain links) for sit-and standing desk





Set with floor-outlet-adapter

KS-PRO-100

KS-PRO-S1-75 KS-PRO-S1-125

KS-PRO-S2-75 KS-PRO-S2-125

 $oldsymbol{\boxtimes}$ secure $oldsymbol{\boxtimes}$ black $oldsymbol{\boxtimes}$ silver $oldsymbol{\boxtimes}$ light-grey $oldsymbol{\boxtimes}$ white $oldsymbol{\boxtimes}$ translucent

Cable-Snake® Classic

The classical "Allround-System"





The Cable-Snake® Classic cable guiding system is the classical "Allround-System".

A wide range of applications and adapters make the system compatible with all connection points.



 ${\sf Cable\text{-}Snake}^{\tiny{\circledR}}\ {\sf Classic}\ ,\ {\sf Easy\text{-}Outlet\text{-}Switch}$



 ${\sf Cable\text{-}Snake}^{\circledast}\,{\sf Classic}\;, {\sf Easy\text{-}Outlet\text{-}I}$




Cable-Snake® Classic, Easy-Floor-2K

The compact construction with proven 3 chamber system makes for orderly guidance of cables.

An extensive range of accessories and compatibility with our other systems make Cable-Snake® Classic the "Allround-System".




Tool-free installation, like a zipper



Flexible in length Also useable as closed cable channel for higher tread resistance



Wide range of accessories Compatible with all Cable-Snake cable management systems



Turning-force-stabilityStability due to patented connection



Tread-proof Tread-proof stretched up to 75 kg Tread-proof telescoped up to 90 kg

Easy-SwitchJunction box for networks with up to 4 connection points




Easy-Cover Compatible to Easy-Cover ceilingoutlets



Easy-OutletCompatible to Easy-Outlet floor-outlets



Floor-OutletCompatible to all common flooroutlets



Easy-Bridge Compatible with Easy-Bridge cable bridge



Cable-Snake® Classic

The classical "Allround-System"



The Cable-Snake® Classic cable guiding system is particularly compact and universally applicable. The system is limited tread-proof. The extensive accessory range makes the system a classical "Allround-System" for every case of application. The Cable-Snake® Classic can carry up to 20 cables, is flexible lengthwise and with 3 chambers allows separation of data and power cables. The innovative geometry makes "squeeze safe" side branching of individual cables possible at any point. The compact design and the Easy Zip system meet exacting demands.

The system is compatible with Easy-Bridge, Cable-Snake® Cube, Cube MX, Pro, Pro Flex and Flex II and can be easily connected with these systems.

The system is suitable for all applications with horizontal and vertical cable runs. Short-term loads of up to 75 kg on 5 chain links at an ambient temperature of 20° are possible in limited foot traffic areas.

Technical Data

Capacity up to about 20 cables Stretched lengthwise, 46 chain links approx. 100 cm Length pushed together approx. 72 cm Material Polypropylen





light-grey RAL 7035



silver RAL 9006


white RAL 9003



translucent nature











Cable-Snake® Classic approx. 100 cm (46 chain links) **Set with floor-plate,** desk fixture, 2 screws 4x12mm approx. 75 cm (33 chain links) for regular desk approx. 125 cm (56 chain links) for sit-and standing desk **Set with floor-outlet-adapter,** desk fixture, 2 screws 4x12mm approx. 75 cm (33 chain links) for regular desk

approx. 125 cm (56 chain links) for sit-and standing desk



Set with floor-outlet-adapter

KS-CLA-100

KS-CLA-S1-75 KS-CLA-S1-125

KS-CLA-S2-75 KS-CLA-S2-125

lacksquare black lacksquare silver lacksquare light-grey lacksquare white lacksquare translucent

Cable-Snake® Flex

The flexible "Cable-Snake" with smallest bend radius



Professional Cablemanagement



The Cable-Snake[®] Flex cable guiding system wins through greatest flexibility with functional design.

The three separate chambers lead the cables, well laid out and protected, to all relevant connection points.



Cable-Snake® Flex, Easy-Outlet-II



Cable-Snake® Flex, Floor-Outlet




Cable-Snake® Flex, Easy-Floor-2K


Cable-Snake® Flex is the cable guiding system with the smallest bend radius and the highest number of chain links per running meter. The distance between chain links is very small whereby increased tread resistance and safety are achieved.



Zip-Stop Secured cable chambers with "Parental Control"



Flexible in length
Also useable as closed cable
channel for higher tread resistance



Wide range of accessories Compatible with all Cable-Snake[®] cable guiding systems




Turning-force-stability Turning force stability due to patented connection



Tread-proofTread-proof stretched up to 80 kg
Tread-proof telescoped up to 100 kg

Easy-Switch Junction box for networks with up to 4 connection points



Easy-Cover Compatible to Easy-Cover ceilingoutlets



Easy-OutletCompatible to Easy-Outlet floor outlets



Floor-OutletCompatible to all common floor-outlets



Easy-Bridge Compatible with Easy-Bridge cable bridge



Cable-Snake® Flex

Cable-Snake

The flexible "Cable-Snake" with smallest bend radius

Professional Cablemanagement

The Cable-Snake® Flex system is free to move in 3 directions and has approx. 25% flexibility lengthwise. The functional design wins through its clear lines and precise angular form with integrated three chamber system for separated guiding of data- and power lines. The Cable-Snake® Flex system is compatible with all regular floor sockets. Extensive accessories make the system compatible and network-capable for different applications.

Cable-Snake® Flex system is compatible with Cable Snake Cube, Cube MX, Pro, Classic and Flex II and can be easily connected with these systems. Using the junction boxes Easy-Switch and Easy-Switch Premium - complex networks can be created.

Cable-Snake® Flex is suitable for horizontal and vertical cable runs and is sufficiently tread-proof for low foot traffic areas. Short-term loads up to 80 kg on 5 chain links.

Technical Data

Capacity up to about 20 cables Stretched lengthwise, 58 chain links approx. 100 cm Length pushed together approx. 74 cm Material Polypropylen





light-grey RAL 7035



white RAL 9003

I I FE



translucent nature



Made in Germany









Cable-Snake® Flex approx. 100 cm (58 chain links) **Set with floor-plate,** desk fixture, 2 screws 4x12mm approx. 75 cm (41 chain links) for regular desk approx. 125 cm (69 chain links) for sit-and standing desk **Set with floor-outlet-adapter,** desk fixture, 2 screws 4x12mm approx. 75 cm (41 chain links) for regular desk

approx. 125 cm (69 chain links) for sit-and standing desk

Set with floor-outlet-adapter KS-FLE-100

KS-FLE-S1-75 KS-FLE-S1-125

KS-FLE-S2-75 KS-FLE-S2-125

☑ Cube ☑ Cube MX ☑ Pro ☑ Classic ☑ Flex ☑ Flex II ☐ Quadro ☐ Premium

☑ black ☑ silver ☑ light-grey ☑ white ☑ translucent

Cable-Snake® Flex II

Compact - flexible - compatible





Cable-Snake® Flex-II is compatible with all parts of the Q-LAB® system.

The original design of 1994 was developed step by step and carefully innovated.
Function and capacity were drastically improved.
Easy mounting, compact size and the high number of chain links provide maximum
flexibility and function.



Cable-Snake $^{\hspace{-0.05cm} \text{\tiny \$}}$ Flex II, Easy-Outlet-Switch




Cable-Snake $^{\otimes}$ Flex-II, Easy-Outlet I




Cable-Snake® Flex II,Easy-Floor-2K

Smallest bend radius gives you a perfect rolling effect at height adjustable desks. The individual chain links can be also completely pushed together as a self-locking cable channel and so are closed.



Easy-Zip Tool-free installation, like a zipper



Flexible in length Also useable as closed cable channel for higher tread resistance



2D/3D capabilityRolling characteristic optimised for ergonomic furniture



Turning-force-stability
Stability due to patented connection



Tread-proof Tread-proof stretched up to 70 kg Tread-proof telescoped up to 90 kg

Easy-SwitchJunction box for networks with up to 4 connection points



Easy-CoverCompatible to Easy-Cover ceiling-outlets



Easy-OutletCompatible to Easy-Outlet floor-outlets



Floor-OutletCompatible to all common floor-



Easy-Bridge Compatible with Easy-Bridge Cable Bridge



Cable-Snake® Flex II

Compact - flexible - compatible



The Cable-Snake® Flex system is free to move in 3 directions and has approx. 25% flexibility lengthwise. The functional design wins through its clear lines and precise angular form with integrated two chamber system for separated guiding of data- and power lines.

Cable-Snake® Flex II is equipped with all the innovative functions developed by Q-LAB® since 1994. The integrated 2D/3D system has been optimized for ergonomic furniture so that it unrolls automatically with height-adjustable desks like a caterpillar track. With the application of higher forces, the system is fully 3D mobile. The integrated memory function keeps the chain in the desired position. Cable-Snake® Flex II is tread-proof to a limited extent and can also be used as a closed channel.

The system is compatible with Cable-Snake® Cube, Cube MX, Pro, Classic and Flex and can be easily connected with these systems. The high-quality design with textured surfaces meets the most demanding requirements.

The Cable-Snake® Flex II system is compatible with all regular floor-outlets. A wide range of accessories make the system compatible and network-capable for different applications. Cable-Snake® Flex II is suitable for horizontal and vertical cable guidance and is sufficiently tread-proof for low foot traffic areas. Short-term loads of up to 70 kg on 5 chain links at an ambient temperature of 20° are possible.

Technical Data

20 cables Capacity up to about Stretched lengthwise, 54 chain links, approx. 100 cm Length pushed together approx. 74 cm Material Polypropylen



black RAL 9005 silver RAL 9006



light-grey RAL 7035



white RAL 9003




translucent nature



New











Cable-Snake® Flex II approx. 100 cm (54 chain links) **Set with floor-plate,** desk fixture, 2 screws 4x12mm approx. 75 cm (38 chain links) for regular desk approx. 125 cm (65 chain links) for sit-and standing desk **Set with floor-outlet-adapter,** desk fixture, 2 screws 4x12mm

approx. 75 cm (38 chain links) for regular desk approx. 125 cm (65 chain links) for sit-and standing desk



Set with floor-outlet-adapter KS-FLE II-100

KS-FLE II-S1-75 KS-FLE II-S1-125

KS-FLE II-S2-75 KS-FLE II-S2-125

Colors

 $oldsymbol{oldsymbol{\square}}$ black $oldsymbol{oldsymbol{\square}}$ silver $oldsymbol{oldsymbol{\square}}$ light-grey $oldsymbol{oldsymbol{\square}}$ white $oldsymbol{oldsymbol{\square}}$ translucent

Cable-Snake® Quadro

The quadratic Snake for heavy duty





The cable guiding system Cable-Snake® Quadro is the cross section quadratic Cable-Snake®.

The timeless design impresses with clear lines and functional design language.


The **Zip-stop-system** impeeds the unintended removal of cables and offers in public areas an intended increased protection of the cables.



Cable-Snake® Quadro



Cable-Snake® Quadro, Easy Outlet-I




Cable-Snake® Quadro, Easy-Floor-Quadro

The cable guiding system Cable-Snake® Quadro is very traction stable and can therefore be used for the installation on ceilings. New Sets with massive floor plates have been optimized and are now also compatible to flooroutlets.



Zip-Stop Secured cable chambers with "Parental Control"



Traction StableTransmission of traction up to 5 kg at ceiling suspension



"Bio-plastic"Bio-plastics on request.
Color white-natural.



"Bio-plastic"Bio-plastics on request.
Color "light-wood".



"Bio-plastic"Bio-plastics on request.
Color "dark-wood"


Easy-TapeAnti-slip and detachable attachment systems




Easy-CoverCompatible to Easy-Cover ceiling-outlets



Easy-OutletCompatible to Easy-Outlet floor outlets



Floor Outlets Compatible to all common floor



CompatibleCompatible to Cable-Snake®
Premium and Premium Tex



Cable-Snake® Quadro

The quadratic Snake for heavy duty



Cable-Snake® Quadro is ideal for the electrification of single workstations for regular tables. The system is very traction stable and ideal for suspensions from the ceiling. The classical-functional design wins through its clear lines and precise quadratic form with integrated two chamber system for separation of data and power lines.

Accessories make the system compatible for different applications and network capability.

Cable-Snake® Quadro is compatible with Cable-Snake® Premium and Premium Tex.

The cable chambers integrated **Zip-stop system** prevents the unintended removal of installed cables especially in public areas.

Technical Data

Capacity up to approx. 40 cables Stretched lengthwise, 32 chain links,approx. 100 cm Material Polypropylen





8








Cable-Snake® Quadro

KS-QUA-100



Cable-Snake® Quadro approx. 100 cm (32 chain links)

Set with floor-plate, desk fixture, 2 screws 4x12mm

approx. 75 cm (23 chain links) for regular desk

approx. 125 cm (39 chain links) for sit-and standing desk

The Set with floor-plate is also suitable for connections to floor-outlets

KS-QUA-S1-75 KS-QUA-S1-125

Cable-Snake® Premium

Cable-Snake

Professional Cablemanagement

Energy guidance for demanding office environments



The Cable-Snake® Premium was especially developed for high-class office furniture.

The narrow aspect in combination with a high quality textured surface stresses the high level design requirements.



Ceiling suspension, Connection to E-Cube





Cable-Snake® Premium, Easy-Floor-Premium Cable-Snake® Premium, Easy-Outlet-Premium

All accessoriies, despite their fine design are of an extremely "massive" quality and will have a long life. All Q-LAB® developed innovations unite in this system. The chain links can be pushed together into a self locking elliptical cablechannel.




Easy-Zip free installation, like a zipper



Flexible in length Also useable as closed cable channel for higher tread resistance



2D/3D capability Rolling characteristic optimised for ergonomic furniture



Easy-Rope Tension cord for resisting traction forces up to 100 kg



Optional rigid cable channel Mounting bar with hold ad use as rigid cable channel

Easy-Switch Premium ion box for networks with up to 4 connection points




Easy-Cover Compatible to Easy-Cover ceiling-outlets



Easy-Outlet Compatible to Easy-Outlet floor-outlets



Floor-Outlets Compatible to all common floor-



Compatible Compatible to Cable-Snake® Premium Tex and Quadro



Cable-Snake® Premium



Energy guidance for demanding office environments

Cable management system Cable-Snake® Premium meets the highest design standards with maximum functionality. The elliptical shape offers clear lines and high-quality textured surfaces.

Cable-Snake® Premium is equipped with all the innovative functions developed by Q-LAB® since 1994.

The integrated 2D/3D system has been optimized for ergonomic furniture so that it unrolls automatically with heightadjustable desks like a caterpillar track. 2 chamber system for separation of data and power cables.

The system is compatible with Cable-Snake® Premium Tex and Quadro and can be easily connected with these systems. The Easy Rope tension cord can resist traction forces up to 100 kg. The stainless steel mounting rod, Easy Steel makes rigid mounting possible such as with desk channels The Cable-Snake® Premium system is compatible with all regular floor-outlets. A wide range of accessories makes the system network-capable.

Technical Data

Capacity up to about 40 cables Stretched lengthwise, 22 chain links, approx. 100 cm Length pushed together approx. 78 cm Material Polypropylen





light-grey RAL 7035



translucent nature












Set with floor-plate

KS-PRE-100



Cable-Snake® Premium approx. 100 cm (22 chain links) **Set with floor-plate,** desk fixture, 2 screws 4x12mm approx. 75 cm (16 chain links) for regular desk

approx. 125 cm (27 chain links) for sit-and standing desk The Set with floor-plate is also suitable for connections to floor-outlets KS-PRE-S1-75 KS-PRE-S1-125

compatible with Cable-Snake

☑ black ☑ silver ☑ light-grey ☑ white ☑ translucent

Cable-Snake® Premium Tex

Exclusive cable-sheath







Cable-Snake® Premium Tex "cobra"





Cable-Snake® Premium Tex is the high-quality solution for users who want to completely encase cables.

The system will be produced according to your requirements from your desired material. Adequate to the individual furniture line, we use high quality leather, alkantara and fabrics according to your requests.

Variants with velcro, zipper and buttons are producible. In the end-segments of each Premium Tex a removable chain link of Cable-Snake® Premium (via velcro system) is integrated.

Thereby cables can be installed at any time quickly and neatly. All accessories of Cable-Snake® Quadro and Premium can be combined with this system forming the first networkable "cable tube".





Premium Tex mounting-set "silver"



Premium Tex complete-set "alkantara black"



Premium Tex complete-set "velours black"

Cable-Snake® Premium Tex mounting-set without sheath 2 chain links Cable-Snake® Premium with high strength 3M-velcro-sheath, desk fixture Easy-Desk-1B including fixing screw 4x12 mm, floor-plate Easy-Floor Premium 2x hook-tape to sew in

Cable-Snake® Premium Tex mounting-set with sheath

KS-PRE-TEX-S2

Complete-set with high quality textile cable-sheath in "alkantara-" or "velours-look". Zipper YKK. Length without accessories approx. 70 cm. Length incl. desk-connection and floor plate approx. 75 cm.

compatible with Cable-Snake

☑ Fabrics, Colors and length on customer request

Easy-Bridge

Cable guidance profile - Aluminium



The aluminum cable bridge Easy-Bridge is suitable for extreme loads.

Easy-Bridge cable bridges are tread-proof and ideal for installation in busy foot-traffic areas. The system is compatible with Cable-Snake® Cube, Pro, Classic, Flex and Flex II and can be easily connected with these systems.

Curves with different radiuses and lengths are made by Cable-Snake® cable-chains. By using individual links of the Cable-Snake® Pro, any distance extension can be bridged without sawing off any profiles.

Multiple Easy-Bridge cable bridges can be connected together without using any tools. Easy Bridge is fixed on carpets with preassembled velcro system or with 3M doubleadhesive tape - anti slip - on smooth floors.









Easy-Bridge, swingable Cable Protection



Easy-Bridge System-Modules










Easy-Bridge simple connected



Easy-Bridge, optional with closure strips



Easy-Bridge Cable-bridge. Anodized Aluminium. Delivery including mounted swingable connection joint. Color of the connection joint according customer requirements. Closure strips optional.

Easy-Bridge-H-50 with 50 cm mounted hook-tape E-BRI-H-50 Easy-Bridge-D-50 with 50 cm mounted double-adhesive-tape E-BRI-D-50 Easy-Bridge-H-100 with 100 cm mounted hook-tape E-BRI-H-100 Easy-Bridge-D-100 with 100 cm mounted double-adhesive-tape E-BRI-D-100 **Easy-Bridge-closure strips** for 2 slots a 50cm=2x50 cm E-BRI-V-50 **Easy-Bridge-closure strips** for 2 slots a 100 cm=2x100 cm E-BRI-V-100

compatible with Cable-Snake

☑ Cube ☑ Cube MX ☑ Pro ☑ Classic ☑ Flex ☑ Flex II ☐ Quadro ☐ Premium

☑ Aluminium anodized, Coupling element colored

E-Cube-K

Energy-tower for back-office workplaces





The energy tower E-Cube-K enables a flexible decentralised power- and data technology supply for workplaces.

Up to 2x4 sockets, chargers, network technology and excess cables are neatly stored in the E-Cube-K.

E-Cube-K is the economically priced energy-tower for back offices and is slip resistant on carpets.

E-Cube-K can be connected to all standard floor-outlets, cable-channels and ceilingoutlets.



E-Cube-K-540-Point





E-Cube-K-720-Move

E-Cube-K is compatible to all Cable-Snake®-systems and to cable bridge Easy-Bridge.

Select your E-Cube-K with up to 2x4 sockets inside and the variable sockets in the lid.





Slip resistant plates on carpets



1x 4-fold Socket 2x 4-fold socket



Telescope outlet Move

E-CUBE-K-540 E-CUBE-K-720

Netbox-M4 Netbox-Point Netbox-Move Connection cable

E-Cube-K-540 Casing box E-Cube-K-720 Casing box

Netbox M4 diagonal 4x 230V Netbox-Point 2x 230 V and 2x RJ45 KAT6 Genderchanger Netbox-Move 3x 230 V Cable 1m, 3m or 6 m

Easy-Cover or telescope outlet in the lid. Socket outlet on request.

compatible with Cable-Snake

☑ Cube ☑ Cube MX ☑ Pro ☑ Classic ☑ Flex ☑ Flex II ☑ Quadro ☑ Premium

☑ Aluminium anodized lid and floor plastic black

E-Cube-M

Cable-Snake Professional Cablemanagement

Mobile energy-tower for highest demands

E-Cube-M is the highquality mobile dataand power supply for congress, lecture, conference and executive offices.

If you would like to remove the speaker's desk and the matching IT technology fast, for example, after a lecture, simply move E-Cube-M with its attached Cable-Snake® into the next room and you can start the buffet immediately.



The cubic clear design of E-Cube-M convinces through the massive all-metal design made of 100% aluminum with high quality anodized surfaces.

Fixed, fold-out or extendible sockets in the lid solve every task immediately.



E-Cube-M-540-Axial



1x 4-fold socket 2x 4-fold socket

E-Cube-M-540-Point



E-Cube-M-540-Point







E-Cube-M-540 Casing box E-Cube-M-720 Casing box

Netbox M4 diagonal 4x 230V Netbox-Point 2x 230 V and 2x RJ45 KAT6 Genderchanger Netbox-Move 3x 230 V Netbox-Axial 1x 230V and 2x RJ45 KAT6 Genderchanger

Cable 1m, 3m or 6 m

Easy-Cover or telescope outlet in the lid. Socket outlet on request



E-CUBE-M-540 E-CUBE-M-720

Netbox-M4 Netbox-Point

Netbox-Move Netbox-Axial Connection cable

compatible with Cable-Snake

☑ Cube ☑ Cube MX ☑ Pro ☑ Classic ☑ Flex ☑ Flex II ☑ Quadro ☑ Premium

☑ Aluminium anodized lid and floor massive Aluminium.

Easy-Outlet

System-connection to floors



The Easy-Outlet series solves any task regarding flooroutlets.

Q LAB® floor outlets can be installed afterwards at any time by drilling a hole in the

Place the floor-outlet exactly

raised floor.

where you need it.



Easy-Outlet-TA closed




Easy-Outlet-TA extended



Easy-Outlet-Switch with up to 3 connections







Easy-Outlet-I connection 1x Cable-Snake®





Easy-Outlet-M-I stainless steel & Polypropylen



Easy-Outlet-M-B stainless steel radial



Easy-Outlet-M-B stainless steel glass-bead-blasted


Easy-Outlet-Metal

The high-quality steel versions Easy-Outlet-M were developed for entrance halls and representative rooms.

Easy-Outlet M is available in different surfaces, matt and glossy with a radial-twiststructure.



Easy-Outlet-TA for guiding single cables





Easy-Outlet-I, Connection 1x Cable-Snake®



Easy-Outlet-Quadro



Easy-Outlet-TA Telescope outlet (without connection Cable-Snake®) Easy-Outlet-I for 1x Cube, Cube MX, Pro, Classic, Flex, Flex II Easy-Outlet-II Connection for 2x Cube, Pro, Classic, Flex, Flex II

Easy-Outlet-Quadro Connection for 1x Cable-Snake® Quadro Easy-Outlet-Premium Connection for 1x Cable-Snake® Premium

Easy-Outlet-Switch Connection for 3x Cube, Pro, Classic, Flex, Flex II E-OUT-SWI Easy-Outlet only socket-outlet without lid E-OUT



Easy-Outlet-Switch

E-OUT-TA E-OUT-I E-OUT-II E-OUT-QUA E-OUT-PRE

compatible with Cable-Snake

 $lacksymbol{oldsymbol{\boxtimes}}$ black $lacksymbol{oldsymbol{\boxtimes}}$ silver $lacksymbol{oldsymbol{\boxtimes}}$ light-grey $lacksymbol{oldsymbol{\boxtimes}}$ white $lacksymbol{\Box}$ translucent

Easy-Cover

System-connection to ceilings



Ceiling outlet with forceinduction into the plasterboard ceilina.

For connecting a Cable-Snake® cable chain to a plasterboard ceiling the stable "POM version" of Easy-Cover is used. Minor forces exerted on the cable chain are transmitted directly into the suspended ceiling, whose loading capacity has to be checked. The slot to insert the cable can be closed by inserts

The elastic clamps on the back, fix the Easy-Cover in drilling depths from 1 mm to 30 mm.

Depending on the version up to 2x Cable-Snake® Cube, Pro, Classic, Flex, Flex II, 1x Cube MX. Premium or Quadro are connectable

Thickness suspended ceiling 1 mm to 30 mm.



Mounting on plasterboard-ceiling



2x Cable-Snake® Cube, Easy-Cover-II




Application of force at plasterboard-ceiling up to 30 mm



Mounting with tension rope on raw-ceiling



Mounting 2x KS Cube on raw-ceiling



Easy-Cover without application of force

Ceiling outlet with forceintroduction into the raw ceilina.

Pulling forces acting on the Cable-Snake® using the pull rope Easy-Rope transfer directly into the raw-ceiling. Corresponding dowels are embedded in the concrete ceiling and connected to the tension-rope.

On the tension-rope between the links of the Cable-Snake® at a distance of about 50 cm, collars Easy-Ring are installed and the power is transferred from the cable chain to the tension rope and into the raw-ceilina.


By separating the catchpins at the predetermined breaking points, Easy-Cover is used as a "purely cosmetic cover" (PP-version).

An overload of the suspended ceiling is impossible.

Thickness suspended ceiling: 1 mm to "endless".



Easy-Cover-I











Easy-Cover-Premium

Easy-Cover-B Blankcover, Polypropylen white E-COV-B Easy-Cover-I Connection 1x Cube, Cube MX, Pro, Classic, Flex, Flex II E-COV-I Easy-Cover-II Connection 2x Cube, Pro. Classic, Flex, Flex II E-COV-II Easy-Cover-Quadro Connection 1x Cable-Snake® Quadro E-COV-QUA Easy-Cover-Premium Connection 1x Cable-Snake® Premium E-COV-PRE

Material: PP at mounting on a raw-ceiling, POM white for friction-locked mounting on a plasterboard-

lacktriangledown black lacktriangledown silver lacktriangledown light-grey lacktriangledown white \Box translucent

Easy-Clip








Easy-Clip simply insert into the cable-outlet





Perfect, flexible and safe connection

Compatible to all common floor-outlets



Easy-Clip

Flexible floor-outlet-adapter compatible to all common floor-outlets.

With the achievement of higher forces, for example by kicking, the clip releases without any defect out of the floor-outlet and can easily remounted.

Easy-Clip-S, L=86mm, B=47mm for KS Classic, Flex, Flex II E-CLI-S Easy-Clip-L, L=91,5mm, B=51mm for KS Cube, Cube MX, Pro E-CLI-L


compatible with Cable-Snake

☑ Cube ☑ Cube MX ☑ Pro ☑ Classic ☑ Flex ☑ Flex II ☐ Quadro ☐ Premium

lack black lack silver \Box light-grey \Box white \Box translucent

Easy-Floor











Easy-Floor-Premium

Easy-Floor-2K Floor plate steel-powder-coated 130x130 mm. Weight: approx. 350 gr. incl. 4 Bumpons.

Easy-Floor-1K B Floor plate steel-powder-coated

130x130 mm. Weight: approx. 350 gr. incl. 4 Bumpons. **Easy-Floor-Premium** for Cable-Snake® Premium. 5 Bumpons &

E-FLO-PRE 1 screw 6 x 70 mm. Steel-powder-coated Ø=150 mm. approx. 310 gr.

Color floor-plate: black, silver-grey, white. Color adapter: black, silver, light-grey, white, translucent Easy-Floor floor-plates are compatible to numerous floor-outlets.

compatible with Cable-Snake

☑ Cube ☑ Cube MX ☑ Pro ☑ Classic ☑ Flex ☑ Flex Ⅱ ☑ Quadro ☑ Premium

 $lacksymbol{\square}$ black $lacksymbol{\square}$ silver $lacksymbol{\square}$ light-grey $lacksymbol{\square}$ white $lacksymbol{\square}$ translucent

E-FLO-2K

E-FLO-1K

Easy-Switch










Easy-Switch junction-box with 2x Easy-Cap

Easy-Switch-4K with 4 coupling links Cube

Easy-Switch-Premium with floor-plate



Easy-Switch for Cable-Snake® Cube, Classic, Flex, Flex-II. Easy-Switch-4K for Cable-Snake® Pro und Cube MX. incl. 4 coupling links Cable-Snake® Cube.

Easy-Switch-Premium for Cable-Snake® Premium incl. floor-plate, screw and 4 coupling links Cable-Snake® Cube.

Easy-Cap Dummy-cap for not used connections. (also in silver!)

Please order Easy-Cap dummy-caps if required!

E-SWI-PRE

E-SWI

E-CAP


E-SWI-4K

☑ Cube MX ☑ Pro ☑ Classic ☑ Flex ☑ Flex II ☐ Quadro ☑ Premium

☑ black ☐ silver ☑ light-grey ☑ white ☐ translucent

Easy-Desk-3G New





55



Under desk mounting as rigid cable channel I

THE PARTY OF THE P

Flexible and rigid mounting



Easy-Desk-3G, Easy-Steel, Cable-Snake® Cube

E-DESK-3G

Easy-Desk-3G

Mounting-clip with catchpins for all Cable-Snakes® with 2 plug-appliances incl. 2 mounting-screws 4 x12 mm. Flexible mounting without mounting-bar. Rigid mounting with mounting-bar.


Please order Easy-Steel and Easy-Ring if required!


compatible with Cable-Snake ☑ black ☑ silver ☑ light-grey ☑ white ☑ translucent ✓ Cube ✓ Cube MX ✓ Pro ✓ Classic ✓ Flex ✓ Flex II ☐ Quadro ☐ Premium

Easy-Rope, Easy-Steel, Easy-Ring









Ceiling-suspension with Easy-Rope & Easy-Ring

Ceiling-suspension with Easy-Rope & Easy-Ring

Easy-Steel for rigid mounting



Easy-Rope Steel-rope with transparent plastic coating. $\emptyset = 3$ mm. E-ROPE Price per running meter. Depending on application up to 100 kg traction-force possible.

Easy-Steel Mounting-bar V2A. $\emptyset = 5$ mm, Length = 750 mm. Depending on application up to 100 kg traction-force possible.

E-STEEL E-RING


Easy-Ring Adjustment-ring for tension-rope and mounting-bar with adjustment-screw.

Steel nickel-plated. Outside: Ø=10 mm, Inside: Ø=5 mm, Height=6 mm

compatible with Cable-Snake ☑ Cube ☑ Cube MX ☑ Pro □ Classic □ Flex ☑ Flex II □ Quadro ☑ Premium □ black ☑ silver □ light-grey □ white □ translucent


Easy-Glue







Easy-Glue, Easy-Steel, Easy-Ring, Glass-table



Easy-Glue, Easy-Steel glass-table mounting



Easy-Glue, Easy-Steel glass-mounting

Easy-Glue

Stainless steel glass-mounting with radial twist-structure and high strength 3M-glue dot. Suitable for permanent bonding on glass, smooth surfaces, stone, wood, metal surfaces and (glass-) facades.

Please order Easy-Steel and Easy-Ring if required!

☑ Cube MX ☑ Pro ☐ Classic ☐ Flex ☑ Flex II ☐ Quadro ☑ Premium □ black ☑ silver □ light-grey □ white □ translucent

Easy-Desk-2B











Easy-Desk-2B

Easy-Desk-2B vertical mounting on furniture

Clip fixation of tension rope Easy-Rope





Easy-Desk-2B

Adapter for vertical mounting on furniture. Material: Polypropylen. Fine eroded surface. Incl. 2 screws: 4 x 12 mm. By using the tension-rope traction forces are transmitted safely into the table due to the patented clamping device of the adapter. Easy-Desk-2B is combinable with Easy-Stop, Easy-Steel, Easy-Rope and Easy-Connect.


compatible with Cable-Snake

✓ Cube MX ✓ Pro ✓ Classic ✓ Flex II ☐ Quadro ☐ Premium

☑ black ☑ silver ☑ light-grey ☑ white ☑ translucent

Easy-Stop









Easy-Stop with Easy-Desk-2B



Under-desk mounting



Easy-Stop strain relief up to 16 cables

Easy-Stop

E-STOP

Strain relief chain link for up to 16 cables. Fits up to 4x VGA or 4x power lines, 4x network, 4x Phone, 4x ribbon cable. Strain relief incl. clamping screws (3 parts). Integrated mounting device for Easy-Ring for fixation of tension rope Easy-Rope. Easy-Stop is combinable with Easy-Desk-2B, Easy-Steel, Easy-Rope, Easy-Ring and Easy-Connect.


compatible with Cable-Snake


☑ Cube ☑ Cube MX ☑ Pro ☑ Classic ☑ Flex ☑ Flex Ⅱ □ Quadro □ Premium

☑ black ☑ silver ☑ light-grey ☑ white ☑ translucent


Easy-Fix







Suitable for bridging of cable channels



Easy-Fix-Pro with mounting bar Easy-Steel



Easy-Fix fixing-chain-links

E-FIX-CUB E-FIX-CMX

Easy-Fix Chain link with mounting holes $\emptyset = 4$ mm. **Easy-Fix-Cube** Hole spacing A = 30 mm

Easy-Fix-Cube MX Hole spacing A = 40 mm**Easy-Fix-Pro** Hole spacing A = 44 mmEasy-Fix-Classic 1 Hole in center

Easy-Fix-Flex Hole spacing A = 35 mm**Easy-Fix-Flex-II** Hole spacing A = 30 mm

Easy-Fix-Quadro Hole spacing A = 25 mm

E-FIX-PRO E-FIX-CLA E-FIX-FLE E-FIX-FLE-II E-FIX-QUA

☑ Cube ☑ Cube MX ☑ Pro ☑ Classic ☑ Flex ☑ Flex Ⅱ ☑ Quadro □ Premium

☑ black ☑ silver ☑ light-grey ☑ white ☑ translucent

Easy-Desk-1B, Easy-Desk-1K




Easy-Desk-1K

Easy-Desk-1K

Easy-Desk-1B

E-DESK-1B



Easy-Desk-1B Desk fixture with hole for Cable-Snake® Quadro und Premium. Including screw: 4x12 mm

Easy-Desk-1K E-DESK-1K

Desk fixture with spherical-head for Cable-Snake® Quadro und Premium. inkl. 2 screws: 4 x 12 mm

compatible with Cable-Snake

 \square Cube \square Cube MX \square Pro \square Classic \square Flex \square Flex II \square Quadro \square Premium

☑ black ☑ silver ☑ light-grey ☑ white ☑ translucent

Easy-Connect










New

Easy-Connect, Cable-Snake® Cube

Easy-Desk-3G, Easy-Connect, Easy-Steel

Easy-Cover-I, Easy-Connect, Cable-Snake®



Easy-Connect

The universal socket Easy-Connect enables the direction-independent connection of almost all Cable-Snake® system-components when they are placed back to back. Easy-Connect is compatible with all flat Cable-Snake® cable-chains and with accessories which have 2 plug-appliances. The middle whole with \varnothing =5 mm helps to guide the mounting-bar Easy-Steel, the tensionrope Easy-Rope and for fixation with a screw.

☑ Cube ☑ Cube MX ☑ Pro ☑ Classic ☑ Flex ☑ Flex Ⅱ □ Quadro □ Premium

 $lacksymbol{\square}$ black $lacksymbol{\square}$ silver $lacksymbol{\square}$ light-grey $lacksymbol{\square}$ white $lacksymbol{\square}$ translucent

E-CON

Easy-Fix-90, Easy-Channel










Easy-Fix90-S on furniture edges

Easy-Fix-90-L for Evoline Port

Easy-Channel for table-cable channel



Easy-Fix Mounting-bracket steel, coated.

Easy-Fix-90-S Bracket for vertical mounting. Easy-Fix-90-L Bracket for connection to Evoline-Port. **Easy-Channel Bracket** for connection on desk-cable-channel. E-FIX-90-S E-FIX-90-L E-CHA

☑ Cube MX ☑ Pro ☑ Classic ☑ Flex ☑ Flex II ☐ Quadro ☑ Premium

☑ black ☑ silver ☐ light-grey ☐ white ☐ translucent

Easy-Duct










Easy-Duct stainless steel optic

Easy-Duct black

,



Easy-Duct Metal cable duct for furniture Stainless steel optic ØD=66,0 H=1,3 L=22,0 Ød=59,0+1 E-DUCT-60M22-V2A

Easy-Duct Plastic cable duct for furniture black, $\varnothing D=67.8\ H=2.0\ L=16.0\ \varnothing d=60.0$ silver, $\varnothing D=67.8\ H=2.0\ L=22.0\ \varnothing d=60.0$

E-DUCT-60K16-sz E-DUCT-60K22-si

☑ black ☑ silver ☑ light-grey ☑ white ☑ stainless steelt

- compatible with Cable-Snake -

Colors

☑ Cube ☑ Cube MX ☑ Pro ☑ Classic ☑ Flex ☑ Flex II ☑ Quadro ☑ Premium

Easy-Tape



Easy-Tape-H Easy-Tape-D



Easy-Tape-H & Easy-Tape-S solvable fixation



Easy-Tape-H for slip on safety on carpet



Punch piece fixing Cable-Snake $^{\! \otimes}$ on socket



30

Easy-Tape-H self adhesive 3M-velcro strip for fixation on carpet.

Easy-Tape-S self adhesive 3M-loop strap for detachable "bonding" E-TAPE-S-25 Easy-Tape-S only together with velcro strip for detachable fixation.

=>Please order same quantity of velcro strip! Running meter. B=25 mm.

Easy-Tape-HS-50/16 Self adhesive double-punch piece H&S for detachable velcro mounting of single Cable-Snake®-links. 16x50 mm.

E-TAPE-ST-50x16

E-TAPE-H-25

Easy-Tape-D 3M-Double-sided-tape. Width 15 mm. Price per running meter. E-TAPE-DK-10



Guarantee of quality

We guarantee the highest quality to the latest technical standards. There is a 2 year guarantee on all appropriate mounted Cable-Snake® installation systems in office environments.

Environmental protection

We exclusively use high quality polymers which are free of toxins according to the EU guidelines 2002/95 RG. All materials are free of PAK and Fluorine. All materials are 100% recyclable. Our certifications and accreditations can be downloaded at www.Q-LAB.de.

Certification

Our production plant is certified according to DIN-ISO-9001. You will find our current certificates at www.Q-LAB.de.

National and international property rights

Patents and patent	DE 4428680, DE 19738716, DE 19963118, DE 19963119,
applications (DE, EU)	DE 102006030086, DE 102006030426, DE 102007038577,
	DE 102007038608, DE 102008014382, DE 102007038577,
	DE 102009029957, DE 102010026553, DE 102010007581,
	DE 102010007580, DE 102011011639, DE 102011108848,
	DE 102011108849, DE 102012005534, DE 102012006945,
	DE 102012010454, DE 102012015546, EP 12155680
Utility patents (DE)	DE 20320850, DE 20320849, DE 20317827, DE 202004011695
Registered designs (DE)	DE 40307490, DE 40700743
Registered designs (EU)	CD 001554288, CD 001900507, CD 001970484,
	CD 001979352, CD 002102012
Trade Marks (DE, EU)	DE 30140018, CMT 010411833, CMT 010411841,
	CMT 008621146, CMT 11000718

Cable-Snake[®] is a registered trademark of the company Q-LAB[®].

Cable-Snake® and Q-LAB® are registered trademarks of the company Q-LAB®.

All rights Q-LAB®.

Changes, errors and misprints are reserved.

Reproduction, also as a print-out, only with the written approval of the company Q-LAB®.

© 1994-2013

Cable-Snake.com





